



PVC COATED  
METAL SHEETS





Fatra, traditional waterproofing membrane producer offers PVC-coated metal sheets with company's own PVC membrane. PVC coated metal is available in coils or sheets.


Suggested application:

- linear anchoring applications and circumferential flashing elements of PVC waterproofing membranes
- plumbing elements and profiles for detailing of roofs, terraces, balconies, loggia, cornices, parapets, etc.

## PVC coated FATRANYL - L metal sheets

<b>Sheet:</b>	DX51D + Z 150
<b>Type:</b>	galvanized 0.55 mm steel sheet, bottom side coated with grey lacquer
<b>PVC membrane on face side:</b>	PVC-P, 0.6 mm; stabilized against weather influences and UV radiation
<b>Standard coil dimensions:</b>	1 000 x 2 000 mm
<b>Packing:</b>	50 sheets / pallet
<b>Weight (1 sheet):</b>	approx. 10,5 kg
<b>Fire resistance:</b>	EN 13501-1, class E
<b>Fire resistance:</b>	EN 13501-5, classification BROOF (t3)
<b>Colour options:</b>	grey RAL 7040, other colours on request

## PVC coated metal structure



1. PVC layer
2. Zinc layer
3. Steel
4. Zinc layer
5. Protective coating

## Types of profiles and dimensions

Profile number	Profile title	Profile scheme and application	Developed width (mm)	Length dimensions (mm)				Angle dimensions (°)			
				a	b	c	d	α	β	γ	
1	A		70	50	20	-	-	95	-	-	
	B			100	60	40	-	-	95	-	-
2	A		70	50	20	-	-	95	-	-	
	B			100	60	40	-	-	95	-	-
3	A		70	10	10	50	-	145	-	-	
	B			70	10	10	50	-	180	-	-
4	A		100	15	75	10	-	92	-	-	
5	A		150	10	30	110	-	45	115	-	
	B			200	10	40	150	-	35	115	-
	C			250	10	40	200	-	45	115	-
	D			300	10	50	260	-	45	115	-
6	B		250	10	100	60	90	45	33	118	
	C			300	10	100	60	130	45	33	118
7	A		250	10	10	160	70	180	95	-	

## PVC coated FATRANYL-LS coils

<b>Sheet:</b>	DX51D + Z 275
<b>Type:</b>	galvanized steel sheet, 0.55 mm, bottom side coated with grey lacquer
<b>PVC membrane on face side:</b>	PVC-P, 0,6 mm; stabilized against weather influences and UV radiation
<b>Standard coil dimensions:</b>	1 000 x 30 000 mm
<b>Packing:</b>	4 coils/ pallet
<b>Coil weight:</b>	approx. 170 kg
<b>Minimum ordering quantity:</b>	1 coil
<b>Colour:</b>	RAL 7040, other colours on request

For detailed information and ordering, please contact your FATRAFOL regional representative.

Fatra, a.s., třída Tomáše Bati 1541, 763 61 Napajedla Czech Republic  
[www.fatrafol.cz/en](http://www.fatrafol.cz/en)





***fatra***<sup>®</sup>

---

**Fatra, a.s.**

Třída Tomáše Bati 1541,  
763 61 Napajedla, Czech Republic

tel.: + 420 577 501 111

[www.fatrafol.cz/en](http://www.fatrafol.cz/en)

[www.fatra.cz](http://www.fatra.cz)